Financial Mathematics

MATH 5870/6870[1]
Fall 2021

Le Chen

lzc0090@auburn.edu

Last updated on

October 19, 2021

Auburn University
Auburn AL

[1] Based on Robert L. McDonald's *Derivatives Markets*, 3rd Ed, Pearson, 2013.

Chapter 19. Monte Carlo Valuation

Chapter 19. Monte Carlo Valuation

Chapter 19. Monte Carlo Valuation

For European call, if one use risk-neutral probability[2], then

$$C = e^{-rT} \sum_{i=0}^{n} \max(Su^{n-i}d^i - K, 0) \binom{n}{i} (p^*)^{n-i} (1-p^*)^i$$

[2] One cannot have this simple expression if one uses the true probability.

FIGURE 19.1

Binomial tree (the same as in Figure 10.5) showing stock price paths, along with risk-neutral probabilities of reaching the various terminal prices. Assumes $S = \$41.00$, $K = \$40.00$, $\sigma = 0.30$, $r = 0.08$, $t = 1.00$ years, $\delta = 0.00$, and $h = 0.333$. The risk-neutral probability of going up is $p^* = 0.4568$. At the final node the stock price and terminal option payoff (beneath the price) are given.



Instead of using the formula to compute the option price, one can simulate ...

Example 19.1-1 Write a piece of code to simulate the binomial tree and compute the corresponding average payoff.

Solution. Check

codes/Section_19-1.py

□